

No.	Name	Category	Specification
1	Zidovudine 100mg capsules	ANTIRETROVIRAL DRUGS	Composition: Zidovudine 100mg Indication: HIV infections, Neonatal prophylaxis Packing: 100 capsule
2	Zidovudine 50mg/5ml Oral Solution		Composition: Zidovudine 50mg/5ml Indication: HIV infections, Neonatal prophylaxis Packing: 240ml
3	Didanosine Delayed-Release Capsules, 250mg		Composition: Didanosine 250mg Indication: HIV infection in combination with other antiretrovirals Packing: 30 capsule
4	Didanosine Delayed-Release Capsules, 400mg		Composition: Didanosine 400mg Indication: HIV infection in combination with other antiretrovirals Packing: 30 capsule
5	Lamivudine 10mg/ml Oral Solution		Composition: Lamivudine 10mg/ml Indication: HIV infection in combination with other antiretroviral agents Packing: 240ml
6	Lamivudine 150mg Tablet		Composition: Lamivudine 150mg Indication: HIV infection in combination with other antiretroviral agents Packing: 60 tablet
7	Nevirapine oral suspension 50 mg/5ml		Composition: Nevirapine 50mg/5ml Indication: Treatment of HIV-1 infection in combination with other antiretroviral agents Packing: 240ml
8	Nevirapine Tablets 200 mg		Composition: Nevirapine 200 mg Indication: Treatment of HIV-1 infection in combination with other antiretroviral agents Packing: 60 tablet
9	Efavirenz Tablet 600mg		Composition: Efavirenz 600mg Indication: Combination therapy for HIV infections with

10 Lamivudine 150mg+ Zidovudine 300mg Tablet	Packing:	a protease inhibitor and or Nucleoside Reverse Transcriptase Inhibitors (NRTIs) 30 tablet
	Composition:	Lamivudine 150mg Zidovudine 300mg
	Indication:	HIV infection in combination with other antiretroviral agents
	Packing:	60 tablet
Neuro - Psychiatric		
11 Aurasert 50mg Tablets	Composition:	Sertraline 50 mg
	Indication:	Major depression, obsessive-compulsive disorder (OCD), panic disorder
	Packing:	10 X 10's
12 Resicalm 1mg/ml Solution	Composition:	Risperidone 1mg/ml
	Indication:	Psychoses and schizophrenia
	Packing:	30ml
13 One Gaba 300mg Capsules	Composition:	Gabapentine
	Indication:	Add-on therapy for intractable partial epilepsy, refractory to standard anti-epileptic drugs, treatment of various types of neuropathic pain in adult more than 18 years
	Packing:	10 X 10's
14 Letram OS 100mg/ml	Composition:	Levetiracetam 100mg/mL
	Indication:	As adjunctive therapy in the treatment of partial onset seizures with or without secondary generalization in adults and children from 4 years of age with epilepsy
	Packing:	300ml
15 Arian 10mg, 15mg Tablets	Composition:	Aripiprazole 10mg, 15mg

Indication: i) Treatment of acute episodes of schizophrenia and for maintenance of clinical improvement during continuation therapy. ii) Treatment of acute manic episodes associated with bipolar I disorder
Packing: 3 X 10's

Neurodegenerative disease drugs

16 Alzer 5mg, 10mg

Composition: Donepezil Hcl 5 mg, 10 mg
Indication: Treatment of mild, moderate & severe dementia of Alzheimer`s disease
Packing: 10 X 10`s

17 Torate 50mg 100mg

Composition: Topiramate 50 & 100 mg
Indication: monotherapy for newly diagnosed epilepsy
Packing: 60/ 100 tablets

18 Epsylam DT 30mg, 50mg, 100mg

Composition: Lamotrigine 30 mg, 50mg & 100mg
Indication: As adjunctive therapy for the management of following w/ of concomitant antiiepileptic drugs in adults
Packing: 30 tablets

19 Resicalm Tablets 1mg

Composition: Risperidone 1mg
Indication: Psychoses and schizophrenia
Packing: 30 tablets/ 100 tablets

20 Resicalm Tablets 2mg

Composition: Risperidone 2mg
Indication: Psychoses and schizophrenia
Packing: 30 tablets/ 100 tablets

21 Eslo 10mg and 20mg

Composition: Escitalopram oxalate 10 mg and 20 mg
Indication: Treatment of major depressive episode panic disorder w or w/o agoraphobia

ANAESTHETIC

22 Rocuronium Bromide Injection 10mg/ml

Packing: 10 X 10's tablets

Composition: Rocuronium Bromide 50mg/5ml

Indication: As an adjunct to general anaesthesia to facilitate endotracheal intubation, to provide skeletal muscle relaxation during surgery and to facilitate mechanical ventilation in adults, children and infants from 3 months of age

Packing: 5ml Vial/ Multidose Vial

23 Isoflurane Inhalation Liquid 100% v/v

Composition: Isoflurane 100%

Indication: General inhalation anesthetic for induction and maintenance

Packing: 250ml

24 Sojourn Inhalation Anesthetic Liquid 100% v/v

Composition: Sevoflurane 250ml

Indication: For induction and maintenance of general anesthesia for surgery in both adult and children.

Packing: 250ml

25 Halothane Inhalation Liquid 100% v/v

Composition: Halothane 250ml

Indication: General non-irritant inhalation anaesthetic for use in induction and maintenance

Packing: 250ml

26 Mucopain Gel 20% W/W

Composition: Benzocaine USP 20% w/w

Indication: Used as local anesthetics.

Packing: 15 gm, 7.5 gm

GI THERAPEUTICS & ISOTONIC

27 Rantac 150mg Tablets

Composition: Ranitidine HCl 150mg

28 Rantac 300mg Tablets	<p>Indication: Benign gastric & duodenal ulcer, reflux oesophagitis, non-ulcer dyspepsia, Zollinger-Ellison Syndrome</p> <p>Packing: 10x10's</p>
29 Rantac Injection 50mg/2ml	<p>Composition: Ranitidine HCl 300mg</p> <p>Indication: Benign gastric & duodenal ulcer, reflux oesophagitis, non-ulcer dyspepsia, Zollinger-Ellison Syndrome</p> <p>Packing: 10x10's</p>
30 Omeprazole Injection 40mg	<p>Composition: Ranitidine HCl 50mg/2ml</p> <p>Indication: Benign gastric/ duodenal ulceration, reflux oesophagitis, Zollinger Ellison Syndrome</p> <p>Packing: 10x2ml</p>
31 Pantaz 40mg Tablets	<p>Composition: Omeprazole sodium 40mg/Vial</p> <p>Indication: Reflux oesophagitis, eradication of H.pylori infection, benign peptic ulcer, Zollinger-Ellison Syndrome</p> <p>Packing: 10ml-vial</p>
32 Plazilin 5mg/ml	<p>Composition: Pantoprazole 40mg</p> <p>Indication: Adjunct therapy for H.pylori , peptic ulcer disease, GERD and NERD, Zollinger-Ellison Syndrome, prevention of NSAID induced gastropathy</p> <p>Packing: 10x10</p>
	<p>Composition: Metochlopromide Hydrochloride 5mg/ml</p> <p>Indication: Dyspepsia, flatulence, hiatus hernia, peptic ulceration, reflux oesophagitis, gastritis, duodenitis, cholelithiasis, nausea, vomiting, Promote bowel transit during</p>

33 Pegalate Macrogol Plus Electrolytes 13.72g	Isotonic	Packing: diagnostic procedures 10x2ml
		Composition: Potassium Chloride, Macrogol, Sodium Chloride, Sodium Bicarbonate
		Indication: Constipation, Bowel Cleanse Packing: 13.72gm X 20 Sachet
34 Enerzal 7.5gms(Orange)		Composition: Glucose Anhydrous, Citric Acid Anhydrous, Sodium Citrate, Sodium Chloride, Potassium Chloride, Sodium Acid Phosphate, Magnesium Sulphate, Calcium Lactate, Orange Flavour Indication: Dehydration associated with vomiting or diarrhoea Packing: 50's
35 Enerzal 7.5gms(Lime)		Composition: Glucose Anhydrous, Citric Acid Anhydrous, Sodium Citrate, Sodium Chloride, Potassium Chloride, Sodium Acid Phosphate, Magnesium Sulphate, Calcium Lactate, Lime Flavour Indication: Dehydration associated with vomiting or diarrhoea Packing: 50's
36 Electral Forte		Composition: SodiumChloride 0.70mg Sodium Citrate 0.58 Potassium Chloride 0.30G Anhydrous Glucose 4.00g Excipients qs Indication: Replacement of fluid and electrolytes loss

Reproductive

37 Daisy 30	Packing: in diarrhoea 20's
38 Zinnia Tablets	Composition: Desgestrel 150mcg, Ethinylestradiol 30mcg, Isopropyl alcohol Ph.Eur Indication: Oral contraception Packing: 21's
39 Finagen 5mg Tablet	Composition: Levonorgestrel 150mcg, Ethinylestradiol 30mcg Ph.Eur Indication: Contraception Packing: 21 Tab, 105 Tab, 2100 Tab
40 Giagra 100	Composition: Finasteride BP 5mg Indication: Treatment and control of benign prostatic hyperplasia Packing: 10X10
	Composition: Sildenafil Citrate 100mg Indication: Treatment of erectile dysfunction, which is the inability to achieve or maintain a oenile erection sufficient for satisfactory sexual performance. Packing: 1 X 4's

Supplements

41 Ascazin Capsules 50mg	Composition: Zinc Sulphate Mnohydrate 140mg (element zinc 50mg) Indication: Zinc deficiency. Packing: 10x10
42 Calact 300mg Tablet	Composition: Calcium Lactate 300mg

43 Zincofer Capsules	<p>Indication: For prophylaxis of calcium deficiency and treatment of chronic hypocalcaemia</p> <p>Packing: 10x10</p>
44 R.B Tone Syrup	<p>Composition: Ferrous Fumarate 350mg, Zinc 55mg, Cyanocobalamin 5mcg, Folic Acid 1mg, Ascorbic Acid 75mg</p> <p>Indication: Iron deficiency Anemia, Pregnancy & lactation and Menorrhagia</p> <p>Packing: 10x10</p> <p>Composition: Ferrous Gluconate 129.5mg, Folic Acid 0.25mg, Calcium Lactate 75mg, Vitamin B12 1.25mcg</p> <p>Indication: Iron deficiency anemia (children), Pregnancy & lactation and Menorrhagia</p> <p>Packing: 200ml</p>
45 Pedivit Capsules	<p>Composition: Vitamin A (As Palmitate) 2000I.U, Vitamin B-1 1mg, Vitamin B-2 1mg, Vitamin B-6 1.34mg, Niacinamide 8mg, Calcium Pantothenate 1mcg, Vitamin B-12 1mcg, Ascorbic Acid 33.3mg, Cholecalciferol 270 I.U, Calcium (from Dicalcium Phospate BP) 190mg, Phosphorous (from Dicalcium Phospate BP) 140mg, Iron (from Ferrous Sulphate BP) 5mg, Copper (from Copper Sulphate BP) 0.01mg, Iodine (from Potassium Iodide BP) 0.0015mg Magnesium (from Magnesium Sulphate BP) 1.0mg, Manganese (from Manganese Iodide BP) 0.01mg, Potassium (from Potassium Iodide BP) 1mg, Zinc (from Zinc Sulphate BP) 0.15mg</p> <p>Indication: Supplement for general well-being</p> <p>Packing: 21's, 500'S</p>
46 Benalgis Benfotiamine 100mg Tablets	<p>Composition: Benfotiamine 100mg</p> <p>Indication: Diabetic Neuropathy,</p>

47 Heamofer 20 (Iron Sucrose Injection USP 20mg/ml)	Packing: Wernicke-Korsakoff Syndrome 4x10's
	Composition: Iron Sucrose Inj 20mg/ml Indication: Iron deficiency anemia in the following indications in clinical need for a rapid iron supply, in patients who cannot tolerate oral iron therapy or who are non-compliant and in active inflammatory bowel disease where oral iron preparations are ineffective. Packing: 5x5ml
48 Megaza Omega-3-Fish Oil 1g Soft Gelatin Capsules	Composition: Omega-3 fish oil Indication: Hypertriglyceridemia Packing: 30 cap , 120 cap
49 Unifera Tablets 200mg	Composition: Ferrous Fumarate B.P. Indication: Iron-deficiency anemia. Packing: 100 Tablet
Dental	
50 Hexidine 0.2% w/v	Composition: Chlorhexidine Gluconate 0.2%w/v Indication: As a gargle Packing: 80ml/ 500ml
51 Hexigel 1%	Composition: Chlorhexidine Gluconate 1% Indication: Oral ulcer, Gingivitis, Oral thrush (candidiosis) Packing: 15grams
52 Mucopain Gel 20% w/w	Composition: Benzocaine 20%w/w Indication: Mouth ulcer, toothache, disorder of dental prosthesis endoscopic & nasogastric tube

53 Thermoseal Proxa (NS)	Packing: procedure, skin irritation 15grams
54 Thermoseal Proxa (WS)	Composition: Narrow Space Brushes Indication: Efficient interdental cleaning after all restorative procedures Packing: 5's
55 Levocetirizine Syrup 2.5mg/5ml	Composition: Wide Space Brushes Indication: Efficient interdental cleaning after all restorative procedures Packing: 5's
Antihistamine & Antiasthmatic	
56 Levocetirizine 5mg Tablets	Composition: Levocetirizine Dihydrochloride 2.5mg/5ml Indication: Symptomatic treatment of allergic rhinitis and chronic idopathic urticaria Packing: 30ml
57 Salbutamol 100mcg HFA Inhaler	Composition: Levocetirizine Dihydrochloride 5mg Indication: Symptomatic treatment of allergic rhinitis and chronic idopathic urticaria Packing: 20x10's
58 Salmodil Syrup	Composition: Salbutamol 100mcg Each unit contain: Ethanol 1.50g Indication: Asthma and reversible airways obstruction Packing: 1'S Composition: Salbutamol 2mg, Bromhexine 4mg Indication: Act as bronchodilator and aid clearance of viscid purulent sputum in acute and chronic cough

59 Zefs Cough Syrup

Packing: 60ml/100ml

Composition: Adhatoda Vasica 200mg, Solanum Xanthocarpum 200mg, Piper Cubeba 10mg, Pistacia Intergerrima 10mg, Fagonia Cretica 10mg, Clerodendron Serratum 10mg, Pluchea lanceolal 10mg, Curcuma Zedoaria 10mg, Plumbago Zeylarica 10mg, Cyperus Rotundus 10mg, Zingiber officinale 10mg, Piper nigrum 10mg, Piper Longum 10mg, Glycyrrhiza glabra 10mg

Indication: Allergic cough, Infectious cough, Smoker's cough associated with acute & Chronic bronchitis

Packing: 100ML

60 Monast 5mg Paediatric Chewable Tablets

Composition: Montelukast Sodium 5mg

Indication: Asthmatics, not controlled on high dose inhaled corticosteroids more than 1600 mcg/day and with comorbid allergic disorders. Chronic treatment of asthma

Packing: 10x10's

61 Monast 10mg Tablets

Composition: Montelukast Sodium 10mg

Indication: Chronic treatment of asthma and relief of symptoms of seasonal allergic rhinitis for children more than 15 years and adults

Packing: 10x10's

62 Salgic injection 0.5mg/ml

Composition: Salbutamol Sulphate 0.5 mg/ml, 1 ml Ampoule

Indication: Act as bronchodilator and aid clearance of viscid purulent sputum in acute and chronic cough

Oncology

63 Citabol 200mg, 1000mg

Packing: 1mL x 10 ampoule

Composition: Gemcitabine Powder for Solution for Infusion 200 mg/vial
Gemcitabine Powder for Solution for Infusion 1000 mg/vial

Indication: First-line treatment of metastatic breast cancer (in combination with paclitaxel) after failure of prior anthracycline-containing adjuvant chemotherapy, unless anthracyclines were contraindicated.

Packing: 1 x 200mg, 1 x 1000mg

64 Platol 50mg/ 50ml

Composition: Cisplatin Concentrate For Solution For Infusion Bp 50mg/50mL

Indication: Metastatic ovarian cancer, Metastatic testicular tumours, Advanced bladder cancer.

Packing: 1 x 50 ml

65 Epirol 10mg, 50mg (2mg/ml)

Composition: Epirubicin Hydrochloride Powder for Solution for Injection 10mg, 50mg

Indication: Acute leukaemias Lymphoma; Multiple myeloma; Solid tumours, Adjuvant treatment in axillary-node positive breast cancer, Local treatment of bladder carcinoma

Packing: 1 X 5ml, 1 X 25ml

66 Docetaxel 20 mg/0.5ml Injection Concentrated

Composition: Docetaxel 20mg/ 0.5ml

Indication: Breast cancer, Ovarian cancer, Prostate cancer & Head and neck cancer

SKIN/ ANTISEPTIC

67 Metrogyl Gel	Packing: 1 x 0.5 ml Composition: Metronidazole USP 10mg Indication: Anaerobic infection Packing: 30grams
68 Lycort Skin Cream	Composition: Fluocinolone acetonide 0.025%w/w Indication: Inflammatory eczematous dermatosis, alopecia areata, psoriasis seborrheic, atopic, nummular, acute contact & eczematous dermatitis Packing: 15grams
69 Lycort-N skin Cream	Composition: Fluocinolone acetonide 0.025%w/w Neomycin sulphate 0.05%w/w Indication: Inflammatory eczematous dermatosis, alopecia areata, psoriasis seborrheic, atopic, nummular, acute contact & eczematous dermatitis associated with infection Packing: 15grams
70 Ecodax Cream	Composition: Econazole Nitrate 10mg Chlorocresol (as preservative) 1mg Indication: Cutaneous Candidiasis, Tinea Pedis (Athlet's Foot), Tinea Corporis, Tinea Versicolor Packing: 10gm
71 White Petroleum Jelly	Composition: White Petroleum Jelly Indication: Skin moisturiser, for dry lips and crack heels Packing: 100grams

72 Mycoderm-C Powder

Composition: Clotrimazole 1%w/w
Starch & Talc qs
Indication: Cutaneous candidiasis, Tinea corporis,
Tinea cruris, Tinea pedis and
Tinea versicolor
Packing: 75grams

73 Licscab Lotion

Composition: Gamma Benzene Hexachloride 1%
Indication: External application for the treatment of
scabies and pediculosis
Packing: 100ml/ 1litre

74 Vinodine Spray

Composition: Povidone-iodine 5% w/v
(0.5% w/v available iodine)
Indication: Antiseptic germicidal spray for infection in
cuts, wounds, Abrasions, Ulcers, Boils and
Burns
Packing: 75grams

75 Methylated Spirit

Composition: 90% Denatured alcohol
Indication: Clean and disinfecting medical instruments
and not indicated to be used for cleaning
wounds or against human skins
Packing: 3.6Liter

NSAID/ PAINKILLER

76 Dicloran 50mg Tablets

Composition: Diclofenac Sodium 50mg
Indication: Pain and inflammation in rheumatic
disease
Packing: 10x10x10

77 Dicloran Gel

Composition: Diclofenac diethyl amine 11.6mg
Equivalent to diclofenac sodium 10mg
Indication: Pain and inflammation in rheumatic disease
Packing: 20grams

78 Dicloran Injection 75mg

Composition: Diclofenac Sodium 75mg
Indication: Pain and inflammation in rheumatic disease
Packing: 5X3ml

79 Venac SR 100mg Tablets

Composition: Diclofenac sodium 100mg
Indication: Pain and inflammation in rheumatic disease
Packing: 10X10's

80 Mefenamic Acid 500mg

Composition: Mefenamic acid 500mg
Indication: Mild to moderate pain
Packing: 50x10's

81 Aroxicam 7.5mg Tablets

Composition: Meloxicam 7.5mg
Indication: For patients not responding to other NSAIDs in the treatment of
i) Painful osteoarthritis
ii) Rheumatoid arthritis
Packing: 10x10

82 Aroxicam 15mg Tablets

Composition: Meloxicam 15mg
Indication: For patients not responding to other NSAIDs in the treatment of
i) painful osteoarthritis
ii) rheumatoid arthritis
Packing: 3 X 10's, 10 X 10's

83 Sazo EN 500mg Tablets	<p>Composition: Sulfasal; Indicator Treatment of susceptible bacterial infections (non beta-lactamase-producing organisms)</p> <p>Packing: 10 X 10's</p>
84 Diclotroy EC Tablets 50mg	<p>Composition: Diclofenac Sodium 75mg</p> <p>Indication: Pain and inflammation in rheumatic disease</p> <p>Packing: 10 X 10</p>
85 Ifimol 500mg Tablets	<p>Composition: Paracetamol 500mg</p> <p>Indication: Mild to moderate pain and pyrexia</p> <p>Packing: 100 X 10's</p>
86 Ifimol IV 10mg/ml	<p>Composition: Paracetamol 10mg/ mL Water for injections qs</p> <p>Indication: Mild to moderate pain and pyrexia</p> <p>Packing: 100ml</p>
87 Diclotroy AQ Injection	<p>Composition: Diclofenac Sodium</p> <p>Indication: Inflammatory and degenerative rheumatic diseases</p> <p>Packing: 5 Amp of 1ml solution</p>
EYE	
88 I-Lube Eye Drops	<p>Composition: Polyvinyl alcohol 1.4%w/v, Povidone 0.6%w/v, Benzalkonium chloride N.F 0.15w/v (as preservative)</p> <p>Indication: For dry eyes, discomfort due to minor eye irritations, symptoms related to dry eyes</p> <p>Packing: 10ml</p>
89 Allercrom Eye Drops	<p>Composition: Sodium Cromoglycate Ph.Eur. 2%w/v</p>

90 Bactigen Eye Drops	<p>Indication: Benzalkonium Chloride Ph.Eur. 0.01%w/v Aqueous Vehicle Allergic conjunctivitis, vernal keratitis and keratoconjunctivitis</p> <p>Packing: 5ml</p>
91 Latanoprost Eye Drops	<p>Composition: Gentamicin 0.3%w/v (as gentamicin sulphate) Benzalkonium Chloride NF (as preservative)</p> <p>Indication: Broad spectrum antibiotic in superficial eye infections and also for Pseudomonas aeruginosa</p> <p>Packing: 5ml</p>
92 Dorzolamide Eye Drops	<p>Composition: Latanoprost 50 mcg, benzaiklonim chloride ph.Eur 0.2mg Aqueous Buffered Vehicle</p> <p>Indication: Reduction of elevated intraocular pressure in patients with open-angle glaucoma</p> <p>Packing: 2.5ml</p>
93 Lotim Eye Drops	<p>Composition: Dorzolamide Hydrochloride Ph.Eur 2.0% w/v Benzalkonium Chloride Ph.Eur 0.0075%w/v Aqueous buffered vehicle qs</p> <p>Indication: Treatment of elevated intraocular pressure in patient with o glaucoma</p> <p>Packing: 5ml</p>
	<p>Composition: Timolol maleate 0.5%w/v Benzalkonium Chloride NF 0.01%W/V Aqueous buffered vehicle qs</p> <p>Indication: Elevated intraocular pressure, chronic open angle glaucoma</p> <p>Packing: 5ml</p>

94 Olodin

Composition: Olopatadine Hydrochloride
Ophthalmic Solution USP 0.1% w/v
Indication: Ophth Allergic conjunctivitis
Packing: 5ml

95 Zoxan Eye Drops

Composition: Ciprofloxacin 0.3% w/v,
Benzalkonium Chloride NF 0.01% w/v,
Aqueous Buffered vehicle qs
Indication: Treatment of bacterial infections caused by
susceptible strains in corneal ulcers and for
bacterial conjunctivitis
Packing: 5ml

96 Mosi Eye Drop

Composition: Moxifloxacin HCL
Indication: Bacterial Conjunctivitis
Packing: 5ml

97 Kloraxin Eye Ointment

Composition: Chloramphenicol BP(10mg) 1%
Indication: For the treatment of ocular eye infections
caused by Gram-positive, Gram-Negative
Bacteria and other susceptible organisms.
Packing: 25 X 5g Tubes

Ear

98 Otek P Ear Drops

Composition: Polymycin B Sulꝑ Lignocaine Hcl 2%w/v, Benzalkonium
Chloride NF 0.001%w/v, Acetic acid
2%w/v, Phenylmercuric Nitrate 0.1%w/v
Indication: Treatment of otitis externa inflammation
when concurrent use of an antimicrobial is
judged necessary
Packing: 5ml

Cardiology

99 Taguar 25mg Tablets

Composition: Captopril 25mg

100 Amcardia 5mg, 10mg Tablets	<p>Indication: Hypertension, Congestive heart failure, Post-myocardial infarction and Diabetic nephropathy</p> <p>Packing: 10 X 10's</p>
101 Vacodil 25mg, 6.25mg Tablets	<p>Composition: Amlodipine Besylate 5mg,10mg</p> <p>Indication: Hypertension</p> <p>Packing: 3 X 10's, 10 X 10's</p> <p>Composition: Carvedilol 25mg, 6.25mg</p> <p>Indication: Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics</p> <p>Packing: 10 X 10's</p>
102 Kardak-10mg, 20mg, 40mg Tablets	<p>Composition: Simvastatin 10mg, 20mg, 40mg</p> <p>Indication: Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy</p> <p>Packing: 10 X 10's</p>
103 Eurythmic 200mg	<p>Composition: Amiodarone 200 mg</p> <p>Indication: Supraventricular and ventricular arrhythmias</p> <p>Packing: 10 X 10's</p>
104 Eurythmic injection 50mg/ml	<p>Composition: Amiodarone 50mg/ml</p> <p>Indication: Supraventricular and ventricular arrhythmias</p> <p>Packing: 5 X 3ml</p>
105 Losartan 50mg/100mg tablet	<p>Composition: Losartan 50mg, 100 mg</p> <p>Indication: Treatment of Hypertension</p> <p>Packing: 10 X 10's</p>
106 Myodeen IV 3mg/ml	<p>Composition: Adenosine IV 3mg/ml</p>

		Indication:	Paroxysmal supraventricular tachycardia; Differential diagnosis of supraventricular tachycardias
		Packing:	2 ml Prefilled Syringe
107 Zyltan 50mg		Composition:	Losartan 50mg
		Indication:	Treatment of hypertension
		Packing:	10 X 10's
108 Zyltan H		Composition:	Losartan - Hydrothiazide 50mg/ 12.5mg
		Indication:	Treatment of hypertension
		Packing:	10 X 10's
109 Myonit-insta 0.5mg (S/L gtn)		Composition:	Nitroglycerin 0.5 mg
		Indication:	Acute angina
		Packing:	30's, 100's
110 Bisodac-HF 5mg Tablets		Composition:	Bisoprolol Fumarate, 5mg
		Indication:	Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics
		Packing:	2 X 14's
	Antibiotics / Antifungal		
111 Zifi 100mg Dry Syrup 100mg/5ml		Composition:	Cefixime Trihydrate 100mg/ 5ml
		Indication:	Used in the systemic treatment of infections.
		Packing:	30ml
112 Ifimox 125mg Dry Syrup		Composition:	Amoxicilin Trihydrate 125mg/5ml
		Indication:	Infections caused by susceptible strains of gram positive and gram negative organisms
		Packing:	60ml
113 Z Mox 125mg/5mL Oral Suspension		Composition:	Amoxicillin 125mg/5ml

114 Z Mox 250mg/5mL Oral Suspension	<p>Indication: Infections caused by susceptible strains of gram positive and gram negative organisms</p> <p>Packing: 60ml</p>
115 Metrogyl 200mg/5ml Oral Suspension	<p>Composition: Amoxicillin 250mg/5ml</p> <p>Indication: Infections caused by susceptible strains of gram positive and gram negative organisms</p> <p>Packing: 60ml</p> <p>Composition: Metronidazole Benzoate equivalent to Metronidazole 200mg/5ml</p> <p>Indication: Anaerobic infection</p> <p>Packing: 100ml</p>
116 Koact 625mg Tablet	<p>Composition: Co-amoxiclav (500-125) 625mg</p> <p>Indication: Infections due to betalactamase producing strain bacteria in Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis</p> <p>Packing: 3x5's</p>
117 Koact 1000mg Tablet	<p>Composition: Co-amoxiclav (875-125) 1000mg</p> <p>Indication: Infections due to betalactamase producing strain bacteria in Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis</p> <p>Packing: 3x5's</p>
118 Aurocef 250mg Capsule	<p>Composition: Cefalexin 250mg</p> <p>Indication: Respiratory tract infection, urinary tract</p>

119 Aurocef 500mg Capsules	Packing: infection, Complicated, recurrent or chronic infections, bronchitis and Pneumonia 10x100's
	Composition: Cefalexin 500mg Indication: Respiratory tract infection, urinary tract infection, Complicated, recurrent or chronic infections, bronchitis and Pneumonia
	Packing: 10x100's
120 Spizef 250mg Tablets	Composition: Cefuroxime 250mg Indication: Upper and lower respiratory tract, genito-urinary tract, skin & soft tissue and urinary tract infections (UTI)
	Packing: 5x10's
121 Spizef 500mg Tablets	Composition: Cefuroxime 250mg Indication: Upper and lower respiratory tract, genito-urinary tract, skin & soft tissue and urinary tract infections (UTI)
	Packing: 5x10's
122 Z Mox 250mg Capsules	Composition: Amoxicillin 250mg Indication: Infections caused by susceptible strains of gram positive and gram negative organisms
	Packing: 100x10's
123 Z Mox 500mg Capsules	Composition: Amoxicillin 500mg Indication: Infections caused by susceptible strains of gram positive and gram negative organisms
	Packing: 100x10's
124 Ificipro 250mg Tablets	Composition: Ciprofloxacin 250mg Indication: Treatment of infections due to susceptible

125 Ificipro 500mg Tablets	Packing: bacterial strains GIT, UTI, bone & joint, pyelonephritis. 10x10
126 Oflo 200mg Tablets	Composition: Ciprofloxacin USP 500mg Indication: Treatment of infections due to susceptible bacterial strains bone & joint, pyelonephritis. Packing: 10x10
127 Oflo 400mg Tablets	Composition: Ofloxacin 200mg Indication: As second-line treatment of leprosy, tuberculosis and multidrug resistant tuberculosis (MDR-TB) and Sequential therapy for UTI and pyelonephritis Packing: 10x10
128 Metrogyl Tablets 200mg	Composition: Ofloxacin 400mg Indication: As second-line treatment of leprosy, tuberculosis and multidrug resistant tuberculosis (MDR-TB) and Sequential therapy for UTI and pyelonephritis Packing: 10x10
129 Metrogyl Tablets 400mg	Composition: Metronidazole 200mg Indication: Anaerobic infection Packing: 10 x 10 x 10
130 Moxi 400 (Moxifloxacin Hydrochloride Tablets 400mg)	Composition: Metronidazole 400mg Indication: Anaerobic infection Packing: 10 x 10 x 10
	Composition: Moxifloxacin Hcl Indication: Treatment for bacterial infection Packing: 100 tab

131 Onchofin 250mg Tablets	<p>Composition: Terbinafine 250mg</p> <p>Indication: Fungal infections especially onchomycosis caused by dermatophytes</p> <p>Packing: 2x7's</p>
132 Azithromycin for Injection 500mg/vial	<p>Composition: Azithromycin 500mg/10ml</p> <p>Indication: Only for treatment of severe atypical pneumonia</p> <p>Packing: 10 x 10 ml vial</p>
133 Vivocin Inj	<p>Composition: Vancomycin Hydrochloride 500mg/vial</p> <p>Indication: Treatment of MRSA</p> <p>Packing: 10 x 10ml vial</p>
134 Celovan	<p>Composition: Vancomycin Hydrochloride 500mg/vial</p> <p>Indication: Treatment of MRSA</p> <p>Packing: 1's</p>
135 Oflo IV 200mg/100ml	<p>Composition: Ofloxacin 200mg/100ml</p> <p>Indication: Sequential therapy for UTI and pyelonephritis</p> <p>Packing: 100ml</p>
136 Metrogyl Injection 5mg/ml	<p>Composition: Metronidazole 500gm</p> <p>Indication: Anaerobic infection</p> <p>Packing: 100ml</p>
137 Ificipro 200mg/100ml Injection	<p>Composition: Ciprofloxacin 200MG/100ML Sodium Chloride 0.9% W/V Water for injection qs</p> <p>Indication: Treatment of infections due to susceptible bacterial strains</p> <p>Packing: 100ml</p>

138 Auropennz Powder For Injection 1.5g

Composition: Ampicillin Sodium, Sulbactam Sodium-1.5gm
Indication: Treatment of susceptible bacterial infections
Packing: 30 ml

RADIOGRAPHIC & DIAGNOSTIC AGENT

139 Contrapaque 300

Composition: Iohexol 647mg, equivalent to iodine 300mg
Indication: Angiocardiology, CT body scanning, digital subtraction, excretory urography myelography (lumbar, thoracic, cervical, total columnar), excretory urography in contrast enhancement for computerized tomography, CECT abdomen
Packing: 50ml/100ml

140 Contrapaque 350

Composition: Iohexol 755mg, equivalent to iodine 350mg
Indication: Angiocardiology, CT body scanning, digital subtraction, excretory urography myelography (lumbar, thoracic, cervical, total columnar), excretory urography in contrast enhancement for computerized tomography, CECT abdomen
Packing: 50ml/100ml

141 Pamidol 300

Composition: Iopamidol 612.4MG, equivalent to iodine 300mg
Indication: Cerebral arteriography, peripheral arteriography, excretory urography, computed tomography
Packing: 50ml/100ml

142 Pamidol 370

Composition: Iopamidol 755.3mg, equivalent to iodine 370mg,

Indication: Selective visceral arteriography and aortography, pediatric angiocardiography, coronary arteriography and ventriculography

Packing: 50ml/100ml