

ANTIRETROVIRAL DRUGS

Composition	Zidovudine 100mg capsules
Indication	HIV infections, Neonatal prophylaxis
Packing	100 capsule
Composition	Zidovudine 50mg/5ml oral solution
Indication	HIV infections, Neonatal prophylaxis
Packing	240ml
Composition	Didanosine 250mg,Delayed Release Capsule
Indication	HIV infection in combination with other antiretrovirals
Packing	30 capsule
Composition	Didanosine 400mg,Delayed Release Capsules
Indication	HIV infection in combination with other antiretrovirals
Packing	30 capsule
Composition	Lamivudine 10mg/ml Oral Solution
Indication	HIV infection in combination with other antiretroviral agents
Packing	240ml
Composition	Lamivudine 150mg tablet
Indication	HIV infection in combination with other antiretroviral agents
Packing	60 tablet
Composition	Nevirapine 50mg/5ml oral suspension
Indication	Treatment of HIV-1 infection in combination with other antiretroviral agents
Packing	240ml
Composition	Nevirapine 200 mg tablets
Indication	Treatment of HIV-1 infection in combination with other antiretroviral agents
Packing	60 tablet
Composition	Efavirenz 600mg tablet
Indication	Combination therapy for HIV infections with a protease inhibitor and or Nucleoside Reverse Transcriptase Inhibitors (NRTIs)
Packing	30 tablet
Composition	Lamivudine 150mg + Zidovudine 300mg tablet
Indication	HIV infection in combination with other antiretroviral agents
Packing	60 tablet

CENTRAL NERVOUS SYSTEM

Composition	Sertraline 50 mg tablet
Indication	Major depression, obsessive-compulsive disorder (OCD), panic disorder
Packing	10 X 10's
Composition	Escitalopram oxalate 10&20 mg tablet
Indication	Treatment of major depressive episode panic disorder w or w/o agoraphobia
Packing	10 X 10's tablets
Composition	Risperidone 1 mg/ml Oral Solution
Indication	Psychoses and schizophrenia
Packing	30ml
Composition	Risperidone 1mg&2mg tablet
Indication	Psychoses and schizophrenia
Packing	30 tablets/ 100 tablets
Composition	Aripiprazole 10mg&15mg tablet
Indication	i) Treatment of acute episodes of schizophrenia and for maintenance of clinical improvement during continuation therapy ii) Treatment of acute manic episodes associated with bipolar I disorder
Packing	3 X 10's
Composition	Donepezil Hcl 5 mg, 10 mg tablet
Indication	Treatment of mild, moderate & severe dementia of Alzheimer`s disease
Packing	10 X 10`s
Composition	Topiramate 50 & 100 mg Dispersable Tablet
Indication	monotherapy for newly diagnosed epilepsy
Packing	60/ 100 tablets
Composition	Gabapentin 300mg,
Indication	Add-on therapy for intractable partial epilepsy, refractory to standard anti-epileptic drugs, treatment of various types of neuropathic pain in adult more than 18 years
Packing	10 X 10's
Composition	Lamotrigine 30 mg, 50mg & 100mg Dispersable Tablet
Indication	As adjunctive therapy for the management of epilepsy & as monotherapy drugs in adults
Packing	30 tablets
Composition	Levetiracetam 100mg/mL oral solution
Indication	As adjunctive therapy in the treatment of partial onset seizures with or without secondary generalization in adults and children from 4 years of age with epilepsy
Packing	300ml

ANAESTHETIC

Composition	Rocuronium Bromide 50mg/5ml injection
Indication	As an adjunct to general anaesthesia to facilitate endotracheal
Packing	5ml Vial/ Multidose Vial
Composition	Isoflurane 100%v/v Inhalation liquid
Indication	General inhalation anesthetic for in induction and maintenance
Packing	250ml
Composition	Sevoflurane 100% v/v inhalation liquid
Indication	For induction and maintenance of general anesthesia for surgery in both adult and children.
Packing	250ml
Composition	Halothane 100% v/v inhalation liquid
Indication	General non-irritant inhalation anaesthetic for use in induction and maintenance
Packing	250ml
Composition	Benzocaine USP 20% w/w gel
Indication	Used as local anesthetics.
Packing	15 gm

GASTROINTESTINAL SYSTEM

Composition	Ranitidine HCl 150mg, 300mg tablet
Indication	Benign gastric & duodenal ulcer, reflux oesophagitis, non-ulcer dyspepsia, Zollinger-Ellison Syndrome
Packing	10x10's
Composition	Ranitidine HCl 50mg/2ml injection
Indication	Benign gastric/ duodenal ulceration, reflux oesophagitis, Zollinger Ellison Syndrome
Packing	10x2ml
Composition	Omeprazole sodium 40mg/Vial injection
Indication	Reflux oesophagitis, eradication of H.pylori infection, benign peptic ulcer, Zollinger-Ellison Syndrome
Packing	10ml-vial
Composition	Pantoprazole 40mg tablet
Indication	Adjunct therapy for H.pylori , peptic ulcer disease, GERD and NERD, Zollinger-Ellison Syndrome, prevention of NSAID induced gastropathy
Packing	10x10
Composition	Metochlopramide Hydrochloride 5mg/ml injection
Indication	Dyspepsia, flatulence, hiatus hernia, peptic ulceration, reflux oesophagitis, gastritis, duodenitis, cholelithiasis, nausea, vomiting, promote bowel transit during diagnostic procedures
Packing	10x2ml

Composition	Macrogol, Potassium chloride, Sodium Chloride, Sodium Bicarbonate
Indication	Constipation, Bowel Cleanser
Packing	13.72gm X 20 Sachet

ISOTONIC

Composition	Enerzal (Glucose Anhydrous, Citric Acid Anhydrous, Sodium Citrate, Sodium Chloride, Potassium Chloride, Sodium Acid Phosphate, Magnesium Sulphate, Calcium Lactate)
Indication	Energy drink, Dehydration associated with vomiting or diarrhoea
Packing	50's (orange or lime flavour)

Composition	Electral forte (Sodium Chloride 0.70mg, Sodium Citrate 0.58, Potassium Chloride 0.30G, Anhydrous Glucose 4.00g, Excipients qs)
Indication	Replacement of fluid and electrolytes loss in diarrhoea
Packing	20's

REPRODUCTIVE

Composition	Levonorgestrel 150mcg, Ethinylestradiol 30mcg Ph.Eur
Indication	Contraception
Packing	21 Tab, 105 Tab, 2100 Tab

Composition	Finasteride BP 5mg tablet
Indication	Treatment and control of benign prostatic hyperplasia
Packing	10X10

Composition	Sildenafil Citrate 100mg tablet
Indication	Treatment of erectile dysfunction, which is the inability to achieve or maintain a penile erection sufficient for satisfactory sexual performance.
Packing	1 X 4's

SUPPLEMENTS

Composition	Zinc Sulphate Monohydrate 140mg (elemental zinc 50mg)
Indication	Zinc deficiency.
Packing	10x10

Composition	Calcium Lactate 300mg tablet
Indication	For prophylaxis of calcium deficiency and treatment of chronic hypocalcaemia
Packing	10x10

Composition	Ferrous Fumarate 350mg, Zinc 55mg, Cyanocobalamin 5mcg, Folic Acid 1mg, Ascorbic Acid 75mg capsule
Indication	Iron deficiency Anemia, Pregnancy & lactation and Menorrhagia
Packing	10x10

Composition Ferrous Gluconate 129.5mg, Folic Acid 0.25mg, Calcium Lactate 75mg, Vitamin B12 1.25mcg syrup
Indication Iron deficiency anemia (children), Pregnancy & lactation and Menorrhagia
Packing 200ml

Composition Multivitamin (Pedivit Forte Capsule)
Indication Supplement for general well-being
Packing 21's, 500'S

Composition Benfotiamine 100mg tablet
Indication Diabetic Neuropathy, Wernicke-Korsakoff Syndrome
Packing 4x10's

Composition Iron Sucrose injection 20mg/ml
Indication Iron deficiency anemia in the following, indications in clinical need for a rapid iron supply, in patients who cannot tolerate oral iron therapy or who are non-compliant and in active inflammatory bowel disease where oral iron preparations are
Packing 5x5ml

Composition Omega-3 fish oil tablet
Indication Hypertriglyceridemia
Packing 30 cap , 120 cap

Composition Ferrous Fumarate B.P. tablet
Indication Iron-deficiency anemia.
Packing 100 Tablet

DENTAL

Composition Chlorhexidine Gluconate 0.2%w/v solution
Indication As a gargle
Packing 80ml/ 500ml

Composition Chlorhexidine Gluconate 1% solution
Indication Oral ulcer, Gingivitis, Oral thrush (candidiosis)
Packing 15grams

Composition Benzocaine 20%w/w gel
Indication Mouth ulcer, toothache, disorder of dental prosthesis endoscopic & nasogastric tube procedure, skin irritation
Packing 15grams

Composition Narrow Space Brushes
Indication Efficient interdental cleaning after all restorative procedures
Packing 5's

Composition Wide Space Brushes
Indication Efficient interdental cleaning after all restorative procedures
Packing 5's

ANTI-HISTAMINE & ANTI-ASTHMATIC

Composition	Levocetirizine Dihydrochloride 2.5mg/5ml syrup
Indication	Symptomatic treatment of allergic rhinitis and chronic idiopathic urticaria
Packing	30ml
Composition	Levocetirizine Dihydrochloride 5mg tablets
Indication	Symptomatic treatment of allergic rhinitis and chronic idiopathic urticaria
Packing	20x10's
Composition	Salbutamol 100mcg inhaler
Indication	Each unit contain: Ethanol 1.50g Asthma and reversible airways obstruction
Packing	1'S
Composition	Salbutamol 2mg, Bromhexine 4mg syrup
Indication	Act as bronchodilator and aid clearance of viscid purulent sputum in acute and chronic cough
Packing	60ml/100ml
Composition	Zefs Herbal Cough Syrup
Indication	Allergic cough, Infectious cough, Smoker's cough associated with acute Chronic bronchitis
Packing	100ml
Composition	Montelukast Sodium 5mg chewable tablet
Indication	Asthmatics, not controlled on high dose inhaled corticosteroids more than 1600 mcg/day and with comorbid allergic disorders. Chronic treatment of asthma
Packing	10x10's
Composition	Montelukast Sodium 10mg tablet
Indication	Chronic treatment of asthma and relief of symptoms of seasonal allergic rhinitis for children more than 15 years and adults
Packing	10x10's
Composition	Salbutamol Sulphate 0.5 mg/ml injection
Indication	Act as bronchodilator and aid clearance of viscid purulent sputum in acute and chronic cough
Packing	1mL x 10 ampoule

ONCOLOGY

Composition	Gemcitabine Powder for Solution for Infusion 200 mg/vial & for Infusion 1000 mg/vial
Indication	First-line treatment of metastatic breast cancer (in combination with paclitaxel) after failure of prior anthracycline-containing adjuvant chemotherapy, unless anthracyclines were contraindicated.
Packing	1 x 200mg, 1 x 1000mg

Composition Cisplatin Concentrate For Solution For Infusion Bp 50mg/50mL
Indication Metastatic ovarian cancer, Metastatic testicular tumours, Advanced bladder cancer.
Packing 1 x 50 ml

Composition Epirubicin Hydrochloride Powder for Solution for Injection 10mg, 50mg
Indication Acute leukaemias Lymphoma; Multiple myeloma; Solid tumours, Adjuvant treatment in axillary-node positive breast cancer, Local treatment of bladder carcinoma
Packing 1 X 5ml, 1 X 25ml

Composition Docetaxel 20mg/ 0.5ml injection
Indication Breast cancer, Ovarian cancer, Prostate cancer & Head and neck cancer
Packing 1 x 0.5 ml

SKIN/ ANTISEPTIC

Composition Metronidazole USP 10mg gel
Indication Anaerobic infection
Packing 30grams

Composition Fluocinolone acetonide 0.025%w/w cream
Indication Inflammatory eczematous dermatosis, alopecia areata, psoriasis seborrheic, atopic, nummular, acute contact & eczematous dermatitis
Packing 15grams

Composition Fluocinolone acetonide 0.025%w/w Neomycin sulphate 0.05%w/w cream
Indication Inflammatory eczematous dermatosis, alopecia areata, psoriasis seborrheic, atopic, nummular, acute contact & eczematous dermatitis associated with infection
Packing 15grams

Composition Econazole Nitrate 10mg cream
Indication Cutaneous Candidiasis, Tinea Pedis (Athlet's Foot), Tinea Corporis, Tinea Versicolor
Packing 10gm

Composition White Petroleum Jelly
Indication Skin moisturiser, for dry lips and crack heels
Packing 100grams

Composition Clotrimazole 1%w/w Starch & Talc qs powder
Indication Cutaneous candidiasis, Tinea corporis, Tinea cruris, Tinea pedis and Tinea versicolor
Packing 75grams

Composition Gamma Benzene Hexachloride 1% lotion
Indication External application for the treatment of scabies and pediculosis
Packing 100ml/ 1litre

Composition	Povidone-iodine 5% w/v (0.5% w/v available iodine) spray
Indication	Antiseptic germicidal spray for infection in cuts, wounds, Abrasions, Ulcers, Boils and Burns
Packing	75grams
Composition	90% Denatured alcohol solution
Indication	Clean and disinfecting medical instruments and not indicated to be used for cleaning wounds or against human skins
Packing	3.6Liter

NSAID/ PAINKILLER

Composition	Diclofenac Sodium 50mg tablet
Indication	Pain and inflammation in rheumatic disease
Packing	10x10x10
Composition	Diclofenac diethyl amine 11.6mg Equivalent to diclofenac sodium 10mg gel
Indication	Pain and inflammation in rheumatic disease
Packing	20grams
Composition	Diclofenac Sodium 75mg/3ml injection
Indication	Pain and inflammation in rheumatic disease
Packing	5X3ml
Composition	Sustained Release Diclofenac sodium 100mg tablet
Indication	Pain and inflammation in rheumatic disease
Packing	10X10's
Composition	Mefenamic acid 500mg tablet
Indication	Mild to moderate pain
Packing	50x10's
Composition	Meloxicam 7.5mg tablet
Indication	For patients not responding to other NSAIDs in the treatment of i) Painful osteoarthritis ii) Rheumatoid arthritis
Packing	10x10
Composition	Meloxicam 15mg tablet
Indication	For patients not responding to other NSAIDs in the treatment of i) painful osteoarthritis ii) rheumatoid arthritis
Packing	3 X 10's, 10 X 10's
Composition	Sulfasalazine 500mg tablet
Indication	i) Treatment of inflammatory bowel disease of ulcerative colitis and Crohn's disease ii) Rheumatoid arthritis
Packing	10 X 10's
Composition	Paracetamol 500mg tablet
Indication	Mild to moderate pain and pyrexia
Packing	100 X 10's

Composition Paracetamol 10mg/ mL injection
Indication Mild to moderate pain and pyrexia
Packing 100ml

Composition Diclofenac Sodium 75mg /ml injection
Indication Inflammatory and degenerative rheumatic diseases
Packing 5 Amp of 1ml solution

EYE

Composition Polyvinyl alcohol 1.4%w/v, Povidone 0.6%w/v, Benzalkonium chloride N.F 0.15w/v (as preservative)
Indication For dry eyes, discomfort due to minor eye irritations, symptoms related to dry eyes
Packing 10ml

Composition Sodium Cromoglycate Ph.Eur. 2%w/v Benzalkonium Chloride Ph.Eur. 0.01%w/v Aqueous Vehicle
Indication Allergic conjunctivitis, vernal keratitis and keratoconjunctivitis
Packing 5ml

Composition Gentamicin 0.3%w/v (as gentamicin sulphate) Benzalkonium Chloride NF (as preservative)
Indication Broad spectrum antibiotic in superficial eye infections and also for Pseudomonas aeruginosa
Packing 5ml

Composition Latanoprost 50 mcg, benzaikonim chloride ph.Eur 0.2mg Aqueous Buffered Vehicle
Indication Reduction of elevated intraocular pressure in patients with open-angle glaucoma
Packing 2.5ml

Composition Dorzolamide Hydrochloride Ph.Eur 2.0% w/v Benzalkonium Chloride Ph.Eur 0.0075%w/v Aqueous buffered vehicle qs
Indication Treatment of elevated intraocular pressure in patient with ocular hypertension
Packing 5ml

Composition Timolol maleate 0.5%w/v Benzalkonium Chloride NF 0.01%W/V Aqueous buffered vehicle qs
Indication Elevated intraocular pressure, chronic open angle glaucoma
Packing 5ml

Composition Olopatadine Hydrochloride Ophthalmic Solution USP 0.1% w/v
Indication Ophth Allergic conjunctivitis
Packing 5ml

Composition	Ciprofloxacin 0.3% w/v, Benzalkonium Chloride NF 0.01% w/v, Aqueous Buffered vehicle qs
Indication	Treatment of bacterial infections caused by susceptible strains in corneal ulcers and for bacterial conjunctivitis
Packing	5ml
Composition	Moxifloxacin HCL
Indication	Bacterial Conjunctivitis
Packing	5ml
Composition	Chloramphenicol BP(10mg) 1%
Indication	For the treatment of ocular eye infections caused by Gram-positive, Gram-Negative Bacteria and other susceptible organisms.
Packing	25 X 5g Tubes

EAR

Composition	Polymyxin B Sulphate 10,000 units lignocaine HCl Chloride NF 0.001%w/v, Acetic acid 2% w/v, Phenylmercuric Nitrate 0.1%w/v
Indication	Treatment of otitis externa inflammation when concurrent use of an antimicrobial is judged necessary
Packing	5ml

CARDIOVASCULAR SYSTEM

Composition	Captopril 25mg tablet
Indication	Hypertension, Congestive heart failure, Post-myocardial infarction and Diabetic nephropathy
Packing	10 X 10's
Composition	Amlodipine Besylate 5mg,10mg tablet
Indication	Hypertension
Packing	3 X 10's, 10 X 10's
Composition	Carvedilol 25mg, 6.25mg tablet
Indication	Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics
Packing	10 X 10's
Composition	Simvastatin 10mg, 20mg, 40mg tablet
Indication	Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy
Packing	10 X 10's
Composition	Amiodarone 200 mg tablet
Indication	Supraventricular and ventricular arrhythmias
Packing	10 X 10's
Composition	Amiodarone 50mg/ml injection
Indication	Supraventricular and ventricular arrhythmias
Packing	5 X 3ml

Composition	Losartan 50mg, 100 mg tablet
Indication	Treatment of Hypertension
Packing	10 X 10's
Composition	Adenosine IV 3mg/ml injection
Indication	Paroxysmal supraventricular tachycardia; Differential diagnosis of supraventricular tachycardias
Packing	2 ml Prefilled Syringe
Composition	Losartan - Hydrothiazide 50mg/ 12.5mg tablet
Indication	Treatment of hypertension
Packing	10 X 10's
Composition	Nitroglycerin 0.5 mg tablet
Indication	Acute angina
Packing	30's, 100's
Composition	Bisoprolol Fumarate, 5mg tablet
Indication	Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics
Packing	2 X 14's

ANTIBIOTICS / ANTIFUNGAL

Composition	Cefixime Trihydrate 100mg/ 5ml dry syrup
Indication	Used in the systemic treatment of infections.
Packing	30ml
Composition	Amoxicilin Trihydrate 125mg/5ml oral suspension
Indication	Infections caused by susceptible strains of gram positive and gram negative organisms
Packing	60ml
Composition	Amoxicillin 250mg/5ml oral suspension
Indication	Infections caused by susceptible strains of gram positive and gram negative organisms
Packing	60ml
Composition	Metronidazole 200mg/5ml oral suspension
Indication	Anaerobic infection
Packing	100ml
Composition	Co-amoxiclav (500-125) 625mg tablet
Indication	Infections due to betalactamase producing strain bacteria in Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis
Packing	3x5's

Composition	Co-amoxiclav (875-125) 1000mg tablet
Indication	Infections due to betalactamase producing strain bacteria in Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis
Packing	3x5's
Composition	Cefalexin 250mg tablet
Indication	Respiratory tract infection, urinary tract infection, Complicated, recurrent or chronic infections, bronchitis and Pneumonia
Packing	10x100's
Composition	Cefalexin 500mg tablet
Indication	Respiratory tract infection, urinary tract infection, Complicated, recurrent or chronic infections, bronchitis and Pneumonia
Packing	10x100's
Composition	Cefuroxime 250mg tablet
Indication	Upper and lower respiratory tract, genito-urinary tract, skin & soft tissue and urinary tract infections (UTI)
Packing	5x10's
Composition	Cefuroxime 500mg tablet
Indication	Upper and lower respiratory tract, genito-urinary tract, skin & soft tissue and urinary tract infections (UTI)
Packing	5x10's
Composition	Amoxicillin 250mg capsules
Indication	Infections caused by susceptible strains of gram positive and gram negative organisms
Packing	100x10's
Composition	Amoxicillin 500mg capsules
Indication	Infections caused by susceptible strains of gram positive and gram negative organisms
Packing	100x10's
Composition	Ciprofloxacin 250mg tablet
Indication	Treatment of infections due to susceptible bacterial strains GIT, UTI, bone & joint, pyelonephritis.
Packing	10x10
Composition	Ciprofloxacin USP 500mg tablet
Indication	Treatment of infections due to susceptible bacterial strains bone & joint, pyelonephritis.
Packing	10x10

Composition Ofloxacin 200mg tablet
Indication As second-line treatment of leprosy, tuberculosis and multidrug resistant tuberculosis (MDR-TB) and Sequential therapy for UTI and pyelonephritis
Packing 10x10

Composition Ofloxacin 400mg tablet
Indication As second-line treatment of leprosy, tuberculosis and multidrug resistant tuberculosis (MDR-TB) and Sequential therapy for UTI and pyelonephritis
Packing 10x10

Composition Metronidazole 200mg tablet
Indication Anaerobic infection
Packing 10 x 10 x 10

Composition Metronidazole 400mg tablet
Indication Anaerobic infection
Packing 10 x 10 x 10

Composition Terbinafine 250mg tablet
Indication Fungal infections especially onychomycosis caused by dermatophytes
Packing 2x7's

Composition Azithromycin 500mg/10ml injection
Indication Only for treatment of severe atypical pneumonia
Packing 10 x 10 ml vial

Composition Vancomycin Hydrochloride 500mg/vial injection
Indication Treatment of MRSA
Packing 10 x 10ml vial

Composition Ofloxacin 200mg/100ml injection
Indication Sequential therapy for UTI and pyelonephritis
Packing 100ml

Composition Metronidazole 5mg/ml injection
Indication Anaerobic infection
Packing 100ml

Composition Ciprofloxacin 200mg/100ml injection
Indication Treatment of infections due to susceptible bacterial strains
Packing 100ml

RADIOGRAPHIC & DIAGNOSTIC AGENT

Composition Iohexol 647mg, equivalent to iodine 300mg injection
Indication Angiocardiology, CT body scanning, digital subtraction, excretory urography myelography (lumbar, thoracic, cervical, total columnar), excretory urography in contrast enhancement for computerized tomography, CECT abdomen
Packing 50ml/100ml

Composition Iohexol 755mg, equivalent to iodine 350mg injection
Indication Angiocardiography, CT body scanning, digital subtraction, excretory urography myelography (lumbar, thoracic, cervical, total columnar), excretory urography in contrast enhancement for
Packing computerized tomography, CECT abdomen
50ml/100ml

Composition Iopamidol 612.4MG, equivalent to iodine 300mg injection
Indication Cerebral arteriography, peripheral arteriography, excretory urography, computed tomography
Packing 50ml/100ml

Composition Iopamidol 755.3mg, equivalent to iodine 370mg, injection
Indication Selective visceral arteriography and aortography, pediatric angiocardiography, coronary arteriography and ventriculography
Packing 50ml/100ml